


HDC-IRD2TM34-28

2MP Full-color HD Analog Turret Camera



- 1080P real-time image, high resolution, true color
- AHD / TVI / CVI lossless HD video output
- Support 960H CVBS output
- Up to 800 TVL resolution
- CMOS progressive scan, perfectly capture the moving object
- Support OSD menu
- High speed, long distance and real time transmission
- 24/7 full color imaging
- Support LED turn on or off
- Support noise reduction function
- 20 ~ 30m LED distance
- IP67
- Support COC




2MP Full-Color HD Analog Turret Camera

SPECIFICATIONS

Model	HDC-IRD2TM34-28
Specifications	
Camera	
Image Sensor	1 / 2.8" CMOS
Resolution	2MP
Image Size	1920 x 1080
Video Output	AHD / TVI / CVI / CVBS
Image System	PAL / NTSC
Electronic Shutter	Auto
LED Distance	20 ~ 30 m
Frame Rate	30fps(60Hz); 25fps (50Hz)
Min. Illumination	0 lux (LED ON)
Lens	3.6 mm (2.8mm optional)
Lens Mount	M12
S / N Ratio	≥52dB (AGC OFF)
Ingress Protection	IP 67
Functions	
Function Control	OSD (COC Control)
Smart LED	Yes
ICR	NO
Digital WDR	Yes
2D/3D DNR	Yes
AGC	Yes
Global Exposure	Yes
Central Exposure	Yes
Auto White Balance	Yes
BLC	Yes
Front Light Compensation	Yes
Contrast	Yes
Saturation/Color Gain	Yes
Sharpness	Yes
Image Setting	Yes
Defect Correction	Auto
Language	Chinese and English
Angle Adjustment	Pan: 0°~360°; Tilt: 0°~75°; Rotation: 0°~360°
Others	
Power Supply	DC12V (± 15%)
Power Consumption	IR OFF : < 1W; LED ON : < 3W
Working Environment	- 30 °C ~ 50 °C, 10 % ~ 90 % (relative humidity)
Dimensions (mm)	Φ 94.6 x 82.8
Weight (net)	Approx. 0.39KG

DIMENSIONS



AVAILABLE ACCESSORIES

